



SPECIFICATION SHEET

SEAMLESS COATED GLOVES

- -15 gauge nylon & spandex shell
- -Black micro foam nitrile coating on palms and fingers
- -Application for both wet and dry applications
- -Colored cuffs for easy size identification
- -Durable to last through multiple launderings







-ULTRA-THIN NITRILE FOAM -ABRASION RESISTANCE -BREATHABILITY

TECHNICAL DATA

Material: Nylon shell, microfoam nitrile

coating on palm and fingers

Color: Gray nylon shell, black microfoam

nitrile

Sizes: XS-2XL

Packaging:

- 1 pair/poly bag
- 1 dozen/bundle poly bag
- 12 dozen/case

INTERNATIONAL STANDARDS: EN388: 4131 REGISTRATION NUMBER (RN#): 1121C

COUNTRY OF ORIGIN: China

PERFORMANCE DATA (EN 388)

Abrasion	4
Cut	1
Tear	3
Puncture	1

SPECIAL FEATURES

TEST REPORT





Yeeho Safety

100 mag. 100

TRULY PERFECT COMBINATION OF COMFORT AND CUT PROTECTION



ANTI CUT ANTI CUT ANTI CUT AS











yeehosafety.com 🖓



SPECIFICATION SHEET

CUT RESISTANT GLOVES

13/15 Gauge high performance polyethylene fiber shell with black foam nitrile palm coating

- High performance polyethylene salt and pepper shell
- Black foam nitrile coated on palm and finger
- Non-slip, dust and lint free, breathable
- Colored cuffs for easy size identification

COMFORT **FLEXTIBLE ANTI CUT A2-A9**









TECHNICAL DATA

Material: HPPE with foam nitrile coated palm and

fingers

Color: Black and white shell, black coating

Sizes: S-2XL

Packaging:

1 pair/poly bag

1 dozen/bundle poly bag

6 dozens/case

INTERNATIONAL STANDARDS: EN 388: 4543

COUNTRY OF ORIGIN: China

PERFORMANCE DATA (EN 388)

Abrasion	4
Cut	5
Tear	4
Puncture	3

SPECIAL FEATURES

Not Applicable



Yeeho Safety

ANSI / ISEA 138



GUT RESISTANTA ANT ANT BRANCH

ARAMID
REINFORCEMENT MAKES
DURABLE WEARING

yeehosafety.com



SPECIFICATION SHEET | IMPACT GLOVES

- 13g HPPE anti cut shell
- Single dipped with sandy foam nitrile palm and fingers coated
- Hi-vis green TPR at back hand and fingers
- Non-slip, minimal lint, breathable
- Reinforced nitrile thumb crotch
- Colored hem cuffs for easy size identification
 - -ANTI CUT A2-A9
 - -ANTI VIBRATION
 - -ARAMID REFORCEMENT



















TECHNICAL DATA

Material: Proprietary engineered yarn shell, single dipped with sandy foam nitrile coated palm & fingertips, TPR at back of hand and fingers with reinforced thumb crotch

Color: Gray shell, Black coating, and hi-vis green

TPR

Sizes: S-2XL

Packaging:

6 pair/inner box

Tissue paper to separate each glove

72 pairs/case

REGISTRATION NUMBER (RN#): TPR

COUNTRY OF ORIGIN: CHINA

PERFORMANCE DATA (EN 388)

 Abrasion
 4

 Cut
 X

 Tear
 4

 Puncture
 2

SPECIAL FEATURES

CUT RESISTANCE (ANSI 105:2016)
ANSI Cut Level A2-A9

ABRASION RESISTANCE (ANSI 105:2016) Level 4

PUNCTURE RESISTANCE (ANSI 105:2016) Level 3

IMPACT RESISTANCE (ANSI/ISEA 138)

Impact Level (Overall)
Impact Level (Knuckles) 1
Impact Level (Fingers/Thumb) 1



yeehosafety.com





SPECIFICATION SHEET

COATED SEAMLESS KNIT BAMBOO GLOVES

Latex Foam coated with 15/18 gauge Nylon/Spandex shell Bamboo fiber garden gloves

- Cutting edge technology adjusted for different sizes
- Extremely comfortable for prolonged wear
- Excellent dexterity, sensitivity and fit
- Assorted 2 Colors latex coating: green&purple
- Durable to last through multiple launderings



-SNUG FIT -COMFORT -BREATHABILITY



TECHNICAL DATA

Material: Latex foam palm & fingertips coated with white nylon/spandex shell

Color: White nylon/Bamboo shell, 2 assorted

colors ireen and purple coating

Sizes: Ladies': M-XL

Packaging:

1 dozen/bundle poly bag

12 dozens/case

INTERNATIONAL STANDARDS: EN388: 4121

COUNTRY OF ORIGIN: China

PERFORMANCE DATA

Abrasion: 4

Cut: 1 Tear: 2 Puncture: 1

SPECIAL FEATURES

Not Applicable

